

# SPACE NEW

Sectional and counterweight spring doors



## 24V DC operators with control board and encoder

COD.	Art.	EN	Art.	Art.	Art.	OTHER CHARACTERISTICS
636007	SPACE		600		NET724N	<ul style="list-style-type: none"> <li>• Motor with 2 channels encoder</li> <li>• Integrated control board with receiver for up to 100 remote controls</li> <li>• 3 steps simplified programming</li> <li>• Quick connection of the motor to the track</li> <li>• Continuous adjustment of stroke and forces</li> <li>• Secured programming procedure</li> </ul>
636015	SPACE/XL		1200		NET724XL	
636016	SPACE/XXL		1200		NET724XL	

For all models: NET Control panel, 1 transmitter art. GT4 and 1 wall support art. GT-WALL included. Track not included.


## Steel track with belt:








COD.	Art.	CHARACTERISTICS
636090	AB16	Steel track with belt, 2 pcs, 1.600+1.600 mm <b>SPACE series:</b> useful stroke: 2668 mm
636093	AB20	Iron track with belt, 2 pcs, 2.000 + 2.000 mm <b>SPACE series:</b> useful stroke: 3468 mm

TECHNICAL INFO	SPACE	SPACE/XL	SPACE/XXL
Motor power supply (V)	24V DC		
Maximum power absorption (W)	100	180	230
Max thrust (N)	600	1200	1200
Duty cycle (cycles/hours)	20	25	35
N. max cycles in 24h	60	75	150
Operating temperature (°C)	-20 ÷ 50		
Speed (cm/s)	17	16	13
Weight with packing (Kg)	5		6
Protection level	IP20		




## EXAMPLE OF A TYPICAL INSTALLATION



## DIMENSIONS



## SPECIFIC ACCESSORIES



\*art. 721M: available until stock lasts

## OTHER ACCESSORIES



**COD. 661083**  
**Art. AURA24**  
24V flashing light, LED, with integrated antenna, 433 MHz



**COD. 672630**  
**Art. GT2**  
White 2-channel remote control, 433 MHz, Rolling Code



**COD. 672640**  
**Art. GT4**  
White 4-channel remote control, 433 MHz, Rolling Code



**COD. 662080**  
**Art. LINEAR/XS**  
Pair of mini photocell for outdoor installation. Maximum range 20m



**COD. 663090**  
**Art. GT-KEY**  
Metal vandal proof keyswitch with two contacts, surface mounted. Supplied with 2 keys.



**COD. 663280**  
**Art. DIGIRAD**  
Wireless keypad

**DEA**<sup>®</sup>  
move as you like

DEA AUTOGATE INDONESIA

0878 8399 0876

0896 9998 3721

[www.deaautogate.id](http://www.deaautogate.id)